GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services – MA&UD Department – V&E Report - Allegations of irregularities in execution of C.C. Roads in Chirala Municipality - Disciplinary Proceedings instituted against Sri G.Satyanarayana Setty, the then Municipal Engineer, Chirala Municipality under Rule-20 of Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 – Enquiry conducted - Further action dropped – Orders - Issued.

=-=-=-

5. In the reference 6th read above, a copy of the Inquiry Report has been communicated to Sri G.Satyanarayana Shetty, the then Municipal Engineer (retired), Chirala Municipality and other charged officers with a direction to submit their written representations on the findings of the Inquiry Authority. Even after stipulated time, neither the written representation nor served copy of the charged officer has been received in the matter.

6. Government after careful examination of the matter, hereby decided to drop further action against Sri G.Satyanarayana Shetty, the then Municipal Engineer (retired), Chirala Municipality, as all charges framed against him are held not proved in the inquiry.

7. Accordingly, the Government hereby drop further action against Sri G.Satyanarayana Shetty, the then Municipal Engineer (retired), Chirala Municipality and exonerate him from the charges.

8. The Engineer - in- Chief (PH), A.P., Guntur shall take necessary action in the matter accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

R.KAIRKAL VALAVEN
PRINCIPAL SECRETARY TO GOVERNMENT

To
Sri G.Satyanarayana Shetty, the then Municipal Engineer (retired),
Chirala Municipality - **through** the ENC(PH), A.P., Guntur.

Copy to:
The Secretary to Vigilance Commissioner, APVC, 5th Building,
A.P. Secretariat, Velagapudi.
The Engineer-in-Chief (PH), A.P., Guntur.
The GA (V&E) Deptt, NTR Administrative Block,
PN Bus Station, Vijayawada.
The PS to M (MA & UD).
SF / SC.

// FORWARDED BY ORDER //

SECTION OFFICER.